Appendix A-9: Maternity (MAT-1) Measure Rate Calculation Rules

MAT-1 Measure Rules Effective as of July 1, 2013 discharges

<u>General Rule</u>: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

<u>C</u>ategories

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Dat	a Element Sequence # / Name	Rule	
1	Episode of Care	continue if value = MAT-1, otherwise assign to Category X	
2	Provider Name	assign to Category X if field is empty (i.e., no characters)	
3	Provider ID	check against Provider ID table, assign to Category X if missing or no match	
4	First Name	assign to Category X if field is empty (i.e., no characters)	
5	Last Name	assign to Category X if field is empty (i.e., no characters)	
6	Birthdate	assign to Category X if field is empty (i.e., no date)	
7	Sex	continue if value = F, otherwise assign to Category X	
8	Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid	
9	Race	check against Race Code table, assign to Category X if missing or no match	
10	Ethnicity	check against Ethnicity Code table, assign to Category X if missing or no match	
11	Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X	
12	Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)	
13	Patient ID	assign to Category X if field is empty (i.e., no characters)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
14	Admission Date	date cannot be after Discharge Date, if so, assign to Category X	
		assign to Category X if field is empty or invalid (i.e., no date)	
15	Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /canno	ot be prior to admit date
		assign to Category X if field is empty or invalid (i.e., no date)	
16	Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X	
17	Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no	match
18	Payer Source	continue if valid value, otherwise assign to Category X	
19	MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no characters)	
20	Sample	continue if value = Y or N, otherwise assign to Category X	

Appendix A-9: Maternity (MAT-1) Measure Rate Calculation Rules

MA	MAT-1 Measure Rules Effective as of July 1, 2013 discharges			
Dat	a Element Sequence # / Name	Rule		
21	Gestational Age	if value = < or = 24 weeks, assign to Category B / assign to Category D if field is empty (i.e., no characters)		
22	Admission Time	assign to Category D if field is invalid or empty (i.e., no characters)		
23	IV Antibiotic (Non-GBS) MAT-1	if value = Y, assign to Category B / assign missing value to Category D		
24	Cesarean Delivery	if value = Y, assign to Category B / assign missing value to Category D		
25	Delivery Date	date cannot be before Admission Date or after Discharge Date, if so, assign to Category D		
	,	assign to Category D if field is empty (i.e., no date) or invalid or value = UTD		
26	Delivery Time	assign to Category D if field is empty, invalid (value > 23:59), or value = UTD		
	Live Newborn	if value = N, assign to Category B / assign missing value to Category D		
	Previous Infant with Invasive GBS	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]		
	GBS Bacteriuria	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]		
30	GBS Screening	if value = P, go to data element Intrapartum Antibiotics [sequence # 34]		
		if value = N, assign to Category B		
	Gestational Age < 37 Weeks	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]		
	Amniotic Membrane Rupture 18 or More Hours	if value = Y, go to data element Intrapartum Antibiotics [sequence # 34]		
33	Intrapartum Temperature	if value = N, assign to Category B		
34	Intrapartum Antibiotics	if value = N, assign to Category D / assign missing value to Category D		
35	Antibiotic Name for GBS Prophylaxis	check against MAT-1 Antibiotic Name Code table, assign to Category D if missing or no match		
		if value = 1, 2, 3, 5, or 6, go to data element Antibiotic Administration Date [sequence # 37]		
36	Maternal Allergies	if value = N, assign to Category D / assign missing value to Category D		
37	Antibiotic Administration Date	date cannot be after Delivery Date (MAT-1), if so, assign to Category D		
		assign to Category D if field is empty (i.e., no date) or value = UTD		
38	Antibiotic Administration Time	assign to Category D if field is empty, invalid (value > 23:59), or value = UTD		
39	calculated value	if (Delivery Date and Time - Antibiotic Administration Date and Time) >= 0, assign to Category E		
		if (Delivery Date and Time - Antibiotic Administration Date and Time) < 0, assign to Category D		

MEASURE RATE =

Appendix A-9: Maternity (MAT-2a) Measure Rate Calculation Rules

MAT-2a Measure Rules Effective as of July 1, 2013 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

<u>C</u>ategories

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Dat	a Element Sequence # / Name	Rule	
1	Episode of Care	continue if value = MAT-2, otherwise assign to	o Category X
2	Provider Name	assign to Category X if field is empty (i.e., no	characters)
3	Provider ID	check against Provider ID table, assign to Cat	tegory X if missing or no match
4	First Name	assign to Category X if field is empty (i.e., no	characters)
5	Last Name	assign to Category X if field is empty (i.e., no	characters)
6	Birthdate	assign to Category X if field is empty (i.e., no	date)
7	Sex	continue if value = F, otherwise assign to Cate	egory X
8	Postal Code	assign to Category X if field is empty (i.e., no	.
9	Race	check against Race Code table, assign to Cat	
10	Ethnicity	check against Ethnicity Code table, assign to	
11	Hispanic Indicator	continue if value = Y or N, otherwise assign to	Category X
	Hospital Bill Number	assign to Category X if field is empty (i.e., no	characters)
	Patient ID	assign to Category X if field is empty (i.e., no	
14	Admission Date	date cannot be after Discharge Date, if so, as	
		assign to Category X if field is empty or invalid	
15	Discharge Date		ne, otherwise assign to Category X /cannot be prior to admit date
		assign to Category X if field is empty or invalid	
	Clinical Trial	if value = Y, assign to Category B / assign mis	
	Discharge Disposition	check against Discharge Disposition Code tal	ole, assign to Category X if missing or no match
	Payer Source	continue if valid value, otherwise assign to Ca	
	MassHealth Member ID	assign to Category X if field is empty or invalid	
20	Sample	continue if value = Y or N, otherwise assign to	Category X

Appendix A-9: Maternity (MAT-2a) Measure Rate Calculation Rules

MAT-2a Measure Rules Effective as of July 1, 2013 discharges Data Element Sequence # / Name Rule 21 Infection Prior to Cesarean Section if value = Y, assign to Category B / assign missing value to Category D 22 IV Antibiotic (Non-GBS) MAT-2 if value = Y, assign to Category B / assign missing value to Category D 23 Other Surgeries if value = Y, assign to Category B / assign missing value to Category D 26 IV Antibiotic for Cesarean Section Prophylaxis if value = N, assign to Category D / assign missing value to Category D 24 Cesarean Section Start Date if value = UTD, assign to Category D / assign missing or invalid value to Category D 25 Cesarean Section Incision Time if value = UTD, assign to Category D / assign missing or invalid value to Category D 27 Antibiotic Administration Date assign to Category D if field is empty (i.e., no date), invalid, or value = UTD 28 Antibiotic Administration Time assign to Category D if field is empty, invalid (i.e., value > 23:59), or value = UTD if (Cesarean Section Start Date and Incision Time - Antibiotic Administration Date and Time) < 0 minutes, assign calculated value to Category D if (Cesarean Section Start Date and Incision Time - Antibiotic Administration Date and Time) > 60 minutes, assign to Category D

60 minutes, assign to Category E

MEASURE RATE =

Number of cases in Category E

if (Cesarean Section Start Date and Incision Time - Antibiotic Administration Date and Time) >= 0 minutes and <=

Number of cases in Category D + Number of cases in Category E

Appendix A-9: Maternity (MAT-2b) Measure Rate Calculation Rules

MAT-2b Measure Rules Effective as of July 1, 2013 discharges

<u>General Rule</u>: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Data	Element Sequence # / Name	Rule	
1 E	pisode of Care	continue if value = MAT-2, otherwise assign to Category X	
2 <u>F</u>	Provider Name	assign to Category X if field is empty (i.e., no characters)	
3 <u>F</u>	Provider ID	check against Provider ID table, assign to Category X if missing or no match	
4 <u>F</u>	irst Name	assign to Category X if field is empty (i.e., no characters)	
5 <u>L</u>	ast Name	assign to Category X if field is empty (i.e., no characters)	
6 <u>E</u>	Birthdate	assign to Category X if field is empty (i.e., no date)	
7 <u>s</u>	Sex	continue if value = F, otherwise assign to Category X	
8 <u>F</u>	Postal Code	assign to Category X if field is empty (i.e., no postal code) or invalid	
	Race	check against Race Code table, assign to Category X if missing or no match	
	thnicity	check against Ethnicity Code table, assign to Category X if missing or no match	
	lispanic Indicator	continue if value = Y or N, otherwise assign to Category X	
	lospital Bill Number	assign to Category X if field is empty (i.e., no characters)	
	Patient ID	assign to Category X if field is empty (i.e., no characters)	
14 <u>A</u>	Admission Date	date cannot be after Discharge Date, if so, assign to Category X	
		assign to Category X if field is empty or invalid (i.e., no date)	
15 <u>C</u>	Discharge Date	continue if date is within submission time frame, otherwise assign to Category X /cannot	be prior to admit date
		assign to Category X if field is empty or invalid (i.e., no date)	
	Clinical Trial	if value = Y, assign to Category B / assign missing value to Category X	
	Discharge Disposition	check against Discharge Disposition Code table, assign to Category X if missing or no m	natch
	Payer Source	continue if valid value, otherwise assign to Category X	
	MassHealth Member ID	assign to Category X if field is empty or invalid(i.e., no characters)	
20 <u>s</u>	Sample	continue if value = Y or N, otherwise assign to Category X	

Appendix A-9: Maternity (MAT-2b) Measure Rate Calculation Rules

MAT-2b Measure Rules Effective as of July 1, 2013 discharges			
Data Element Sequence # / Name	Rule		
21 Infection Prior to Cesarean Section	if value = Y, assign to Category B / assign missing value to Category D		
22 IV Antibiotic (Non-GBS) MAT-2	if value = Y, assign to Category B / assign missing value to Category D		
23 Other Surgeries	if value = Y, assign to Category B / assign missing value to Category D		
24 IV Antibiotic for Cesarean Section Prophylaxis	if value = N, assign to Category D / assign missing value to Category D		
25 Antibiotic Name for Cesarean Section Prophylaxis	check against MAT-2 Antibiotic Name Code table, assign to Category D if missing or no match		
	if value = 1, 2, or 3, assign to Category E		
26 Maternal Allergies	if value = Y, assign to Category E		
	if value = N, assign to Category D / assign missing value to Category D		

MEASURE RATE =

Appendix 9: Maternity (MAT-3) Measure Rate Calculation Rules

MAT-3 Measure Rules Effective as of July 1, 2013 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

<u>Categories</u>

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Data	a Element Sequence # / Name	Rule	
1	Episode of Care	continue if value = MAT-3, otherwise assign to Categor	/ X
2	Provider Name	assign to Category X if field is empty (i.e., no characters	s)
3	Provider ID	check against Provider ID table, assign to Category X if	missing or no match
4	First Name	assign to Category X if field is empty (i.e., no characters	s)
5	Last Name	assign to Category X if field is empty (i.e., no characters	s)
6	Birthdate	assign to Category X if field is empty (i.e., no date)	
7	Sex	continue if value = F, otherwise assign to Category X	
8	Postal Code	assign to Category X if field is empty (i.e., no postal coo	le) or invalid
9	Race	check against Race Code table, assign to Category X if	missing or no match
10	Ethnicity	check against Ethnicity Code table, assign to Category	X if missing or no match
11	Hispanic Indicator	continue if value = Y or N, otherwise assign to Category	, X
12	Hospital Bill Number	assign to Category X if field is empty (i.e., no characters	s)
13	Patient ID	assign to Category X if field is empty (i.e., no characters	3)
14	Admission Date	date cannot be after Discharge Date, if so, assign to Ca	tegory X
		assign to Category X if field is empty or invalid (i.e., no	date)
15	Discharge Date	continue if date is within submission time frame, otherw	ise assign to Category X/ cannot be prior to admit date
		assign to Category X if field is empty or invalid (i.e., no	date)
17	Discharge Disposition	check against Discharge Disposition Code table, assigr	to Category X if missing or no match
18	Payer Source	continue if valid value, otherwise assign to Category X	
19	MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no	characters)
20	Sample	continue if value = Y or N, otherwise assign to Category	, X
21	ICD-9-CM Principal or Other Diagnosis Code	if value = on table 11.07, assign to Category B / assign	missing value to Category X
	Clinical Trial	if value = Y, assign to Category B / assign missing value	e to Category X
23	Prior Uterine Surgery	if value = Y, assign to Category B / assign missing value	e to Category X

Appendix 9: Maternity (MAT-3) Measure Rate Calculation Rules

MAT-3 Measure Rules Effective as of July 1, 2013 discharges			
Data Element Sequence # / Name	Rule		
24 Gestational Age	if value = (<37 or > = 39), assign to Category B / assign missing value to Category E		
	if value = UTD, assign to Category E		
25 ICD-9-CM Principal or Other Diagnosis Code	if value = on table 11.06.1, assign to Category D		
26 ICD-9-CM Principal or Other Procedure Code	if value = on table 11.05, assign to Category E		
	if value = none on 11.05 and none on 11.06, assign to Category D		
27 Labor	if value = Y, assign to Category D / assign missing value to Category E		
28 Spontaneous Rupture of Membranes	if value = Y, assign to Category D / assign missing value to Category E		
	if value = N, assign to Category E		

MEASURE RATE =

Appendix A-9 Care Coordination (CCM-1) Measure Rate Calculation Rules

CCM-1 Measure Rules Effective as of July 1, 2013 discharges

<u>General Rule</u>: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Data Element Sequence # / Name	Rule	included in Namerator
1 Episode of Care	continue if value = CCM, otherwise assign to Category X	
2 Provider Name	assign to Category X if field is empty (i.e., no characters)	
3 Provider ID	check against Provider ID table, assign to Category X if m	nissing or no match
4 First Name	assign to Category X if field is empty (i.e., no characters)	
5 Last Name	assign to Category X if field is empty (i.e., no characters)	
6 Birthdate	assign to Category X if field is empty (i.e., no date)	
7 <u>Sex</u>	assign to Category X if field is empty (i.e., no characters)	
8 Postal Code	assign to Category X if field is empty (i.e., no postal code)	or invalid
9 Race	check against Race Code table, assign to Category X if m	nissing or no match
10 Ethnicity	check against Ethnicity Code table, assign to Category X	if missing or no match
11 Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X	<u> </u>
12 Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)	
13 Patient ID	assign to Category X if field is empty (i.e., no characters)	
14 Admission Date	date cannot be after Discharge Date, if so, assign to Cate	gory X
	assign to Category X if field is empty or invalid (i.e., no da	
15 Discharge Date	continue if date is within submission time frame, otherwise	e assign to Category X /cannot be prior to admit date
	assign to Category X if field is empty or invalid (i.e., no da	te)
16 Clinical Trial	if value = Y, assign to Category B / assign missing value t	o Category X
17 Discharge Disposition	if value = 6, 7, assign to Category B/ assign to Category 3	X if missing or no match
18 Payer Source	continue if valid value, otherwise assign to Category X	
19 MassHealth Member ID	assign to Category X if field is empty or invalid(i.e., no cha	aracters)
20 Sample	continue if value = Y or N, otherwise assign to Category X	,
21 Reconciled Medication List	if value = N, assign to Category D / assign missing value to	to Category D
	if value = Y_assign to Category F	

if value = Y, assign to Category E

MEASURE RATE =

Number of cases in Category E

Number of cases in Category D + Number of cases in Category E

Appendix A-9 Care Coordination (CCM-2) Measure Rate Calculation Rules

CCM-2 Measure Rules Effective as of July 1, 2013 discharges

General Rule: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

Categories

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Dat	a Element Sequence # / Name	Rule		
1	Episode of Care	continue if value = CCM, otherwise assign to Category X		
2	Provider Name	assign to Category X if field is empty (i.e., no characters)		
3	Provider ID	check against Provider ID table, assign to Category X if mis	sing or no match	
4	First Name	assign to Category X if field is empty (i.e., no characters)		
5	Last Name	assign to Category X if field is empty (i.e., no characters)		
6	Birthdate	assign to Category X if field is empty (i.e., no date)		
7	Sex	assign to Category X if field is empty (i.e., no characters)		
8	Postal Code	assign to Category X if field is empty (i.e., no postal code) o	or invalid	
9	Race	check against Race Code table, assign to Category X if mis	ssing or no match	
10	Ethnicity	check against Ethnicity Code table, assign to Category X if	missing or no match	
11	Hispanic Indicator	continue if value = Y or N, otherwise assign to Category X		
12	Hospital Bill Number	assign to Category X if field is empty (i.e., no characters)		
13	Patient ID	assign to Category X if field is empty (i.e., no characters)		
14	Admission Date	date cannot be after Discharge Date, if so, assign to Catego	ory X	
		assign to Category X if field is empty or invalid (i.e., no date		
15	Discharge Date	continue if date is within submission time frame, otherwise a	assign to Category X /cannot be prior to admit dat	.e
		assign to Category X if field is empty or invalid (i.e., no date	<u>) </u>	
16	Clinical Trial	if value = Y, assign to Category B / assign missing value to	Category X	
17	Discharge Disposition	if value = 6, 7, assign to Category B/ assign to Category X is	if missing or no match	
	Payer Source	continue if valid value, otherwise assign to Category X		
19	MassHealth Member ID	assign to Category X if field is empty or invalid (i.e., no char	acters)	
20	Sample	continue if value = Y or N, otherwise assign to Category X		

Appendix A-9 Care Coordination (CCM-2) Measure Rate Calculation Rules

CCM-2 Measure Rules Effective as of July 1, 2013 discharges			
Data Element Sequence # / Name	Rule		
21 Transition Record	if value = N, assign to Category D / assign missing value to Category D		
22 Reason for Inpatient Admission	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
23 Medical Procedures & Tests	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
24 Discharge Diagnosis	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
25 Current Medication List	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
26 Studies Pending at Discharge	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
27 Patient Instructions	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
28 Advance Care Plan	if patient < 18, go to data element Contact Information 24/7 (Sequence #29)		
	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
29 Contact Information 24 hrs/ 7 days	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
30 Contact Information Studies Pending	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
31 Plan for Follow-Up Care	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
Primary Physician/ Health Care			
Professional Designated for Follow-Up			
32 Care	assign missing value to Category D, if value = Y, add 1 to Transition Record Counter		
calculated value	if patient <18 and transition record counter < 10, assign to Category D		
	if patient <18 and transition record counter = 10, assign to Category E		
	if patient >= 18 and transition record counter < 11, assign to Category D		
	if patient >= 18 and transition record counter = 11, assign to Category E		

MEASURE RATE =

Appendix A-9 Care Coordination (CCM-3) Measure Rate Calculation Rules

CCM-3 Measure Rules Effective as of July 1, 2013 discharges

<u>General Rule</u>: Proceed sequentially as directed using data elements submitted. Each case must be assigned to a specific category (X, B, D, or E) and once assigned, review ends.

<u>C</u>ategories

- X Case will be rejected, not in measure population
- B Case will be excluded, not in measure population
- D In measure population, excluded from numerator
- E In measure population, included in numerator

Data Element Sequence # / Na	me Rule		
1 Episode of Care	continue if value = CCM, o	therwise assign to Category X	
2 Provider Name	assign to Category X if field	d is empty (i.e., no characters)	
3 Provider ID	check against Provider ID	table, assign to Category X if missing or no match	
4 First Name	assign to Category X if field	d is empty (i.e., no characters)	
5 Last Name	assign to Category X if field	d is empty (i.e., no characters)	
6 Birthdate	assign to Category X if field	d is empty (i.e., no date)	
7 <u>Sex</u>	assign to Category X if field	d is empty (i.e., no characters)	
8 Postal Code	assign to Category X if field	d is empty (i.e., no postal code) or invalid	
9 Race	check against Race Code	table, assign to Category X if missing or no match	
10 Ethnicity	check against Ethnicity Co	de table, assign to Category X if missing or no match	
11 Hispanic Indicator	continue if value = Y or N,	otherwise assign to Category X	
12 Hospital Bill Number	assign to Category X if field	d is empty (i.e., no characters)	
13 Patient ID	assign to Category X if field	d is empty (i.e., no characters)	
14 Admission Date	date cannot be after Disch	arge Date, if so, assign to Category X	
	assign to Category X if field	d is empty or invalid (i.e., no date)	
15 Discharge Date	continue if date is within su	ubmission time frame, otherwise assign to Category X / o	cannot be prior to admit date
	assign to Category X if field	d is empty or invalid (i.e., no date)	
16 Clinical Trial	if value = Y, assign to Cate	egory B / assign missing value to Category X	
17 Discharge Disposition	if value = 6, 7, assign to Ca	ategory B/ assign to Category X if missing or no match	
18 Payer Source	continue if valid value, othe	erwise assign to Category X	
19 MassHealth Member ID	assign to Category X if field	d is empty or invalid (i.e., no characters)	
20 Sample	continue if value = Y or N,	otherwise assign to Category X	

Appendix A-9 Care Coordination (CCM-3) Measure Rate Calculation Rules

CCM-3 Measure Rules Effective as of July 1, 2013 discharges			
Data Element Sequence # / Name Rule			
21 Transmission Date	if value = UTD, assign to Category D / assign missing or invalid value to Category D		
22 calculated value	if (Transmission Date - Discharge Date) > 2 days, assign to Category D		
if (Transmission Date - Discharge Date) < 0 days, assign to Category D			
	if (Transmission Date - Discharge Date) >= 0 and <= 2 days, assign to Category E		

MEASURE RATE =